



File Name: canon 518 sv manual.pdf
Size: 2561 KB
Type: PDF, ePub, eBook
Category: Book
Uploaded: 26 May 2019, 23:17 PM
Rating: 4.6/5 from 588 votes.

Status: AVAILABLE

Last checked: 12 Minutes ago!

In order to read or download canon 518 sv manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

- [❑ Register a free 1 month Trial Account.](#)
- [❑ Download as many books as you like \(Personal use\)](#)
- [❑ Cancel the membership at any time if not satisfied.](#)
- [❑ Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon 518 sv manual . To get started finding canon 518 sv manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon 518 sv manual

Performance was improved significantly from the preceding model, the Auto Zoom 518 Super 8, thanks to a powerful Servo EE mechanism and a new optical system. This new model was made more useful by employing the dropin method for the filmloading mechanism and a firm fixed grip. Inner diameter 48 mm, outer diameter 50 mm. Amber and magenta coating. Rotation angle Approx. 100 degrees. Automatic aperture setting coupled to loaded film speed and filming speed. The CCA filter is automatically cancelled with loading of a daylight type film cartridge. Manual cancellation of the CCA filter is possible. Its dimensions are Its merits include 24fps running speed, no separate meter battery required and full cartridge film speed sensing. My example came in a smart black hard case that is much more durable than the soft cases supplied with later Canons that have mostly disintegrated after 35 years. The accessory 1.6 x front teleconverter is worth having making the zoom lens 15 to 76mm. A similar wide angle converter is useful too. I found a manual of a similar camera on wikipedia I found a manual of a similar camera on wikipedia Re film speed do you mean the ISO rating of the film. If so, you dont set it, the camera does when you load the film. That Canon has 6 pins in the upper righthand corner of the film compartment, so it can detect 7 different film speeds a real bonus. So just load the film and the auto light meter will give exposure advice based on the film you are using. Its recommended that you use the manual override on the exposure when shooting. Re film speed do you mean the ISO rating of the film. Its recommended that you use the manual override on the exposure when shooting. I just started shooting my first cartridge and was wondering what to do about the batteries. The camera uses a 1.3V mercury, but I cant buy them in the US. A guy at a camera shop sold me some 1.5s, but im not sure if theyll work that well. http://kino-shevchenko.ru/userfiles/cortadora_de_granito_manual.xml

- **canon 518 sv manual, canon auto zoom 518 sv super 8 manual, canon 518 sv super 8 manual, canon auto zoom 518 sv manual, 1.0.**

Is there a better substitute I just started shooting my first cartridge and was wondering what to do about the batteries. Is there a better substitute I found a manual of a similar camera on wikipedia I posted the PDF here. Paste as plain text instead Display as a link instead Clear editor Upload or insert images from URL. Choose your shop Does the job for capturing watersports, dance and other smooth or fast motions. Looking for all Canon super 8 cameras. Click here. Specifications Amber and magenta coating. Focal length can be shortened to wide angel zoom of 6.2 31 mm with the Wide Converter 0.65X and extended to super telephoto of 15.6 78mm with the Tele Converter 1.6X. Rotation angle Approx. 100 degrees. Automatic aperture setting coupled to loaded film speed and filming speed. The CCA filter is automatically cancelled with loading of a daylight type film cartridge. Manual cancellation of the CCA filter is possible. Sample movies Watch films shot with the Canon 518 on YouTube. Updated 30 March 2020 See also Canon Canon 1014 Canon 1014 xls Canon 1218 Canon 310 Canon 512 Canon 514 Canon 514xl s Canon 518 Canon 814 Canon 814 xls Canon zoom 250 Share them here. Im also looking the screw that holds the battery into the handle. Reply I havent had a 518 for years now, so I cant check, but is it possible to use a universal screw. Also the rubber eye piece seems to be integrated in the body. Reply. The pages are then spiral bound with a clear acetate front cover and red card back cover, held together with a strong white wire. Your manual will lay flat when open. Si e verificato un problema. Vedi il carrello per i dettagli. No discoloring. looks and feels brand new. Lens could " Ulteriori informazioni si apre in una nuova finestra o scheda Limporto e soggetto a modifica fino al momento del pagamento. <http://gkatsov.com/userfiles/cortadora-de-jamon-manual.xml>

Per ulteriori informazioni, vedi i termini e le condizioni del Programma di spedizione internazionale si apre in una nuova finestra o scheda Limporto e soggetto a modifica fino al momento del pagamento. Se sei residente in uno stato membro dell'Unione Europea eccetto il Regno Unito, non puoi recuperare l'IVA per questo oggetto. Per ulteriori informazioni, vedi i termini e le condizioni del Programma di spedizione internazionale si apre in una nuova finestra o scheda I tempi di consegna possono variare, specialmente nei periodi festivi, e dipendono dalla località del compratore Ulteriori informazioni si apre in una nuova finestra o scheda Ulteriori informazioni si apre in una nuova finestra o scheda Ulteriori informazioni si apre in una nuova finestra o scheda Ulteriori informazioni si apre in una nuova finestra o scheda No discoloring. looks and feels brand new. Lens could use a cleaning. Case shows its age. rip on the right side. but its done its job. protected the camera all these years. Shoulder strap for case included. " Contatta il venditore si apre in una nuova finestra o scheda e chiedi il servizio di spedizione per il tuo indirizzo. Inserisci un CAP valido. Inserisci un numero inferiore o uguale a 0. Per le transazioni idonee, sei coperto dal programma Garanzia cliente eBay se ricevi un oggetto non conforme alla descrizione. Tutti i diritti riservati. Accordo per gli utenti, Privacy, Cookie e AdChoice Norton Secured Offerto da Verisign. As you can If you dont know All cameras listed below Thanks to all who have chosen Case not included Case not included Detects cartridge notches to set ASA Tungsten 25, 40, 64, 100, These are what most of the schools Great for Low Light Shooting. Adjustable Very solid construction with Nikon Optics. Click. Something went wrong. View cart for details.

Sell on eBay Sell Movie Cameras User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. You are currently using an outdated browser. To optimise your browsing experience, please update your browser. You can update your preferences, withdraw your consent at any time, and see a detailed description of the types of cookies we and our partners use in our Cookie Policy. By clicking on an item on our website, you agree to our use of cookies. Learn more about our cookies and your options. The seller has relisted this item or one like this. This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Learn more opens in a new window or tab You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. Find out more about your rights as a buyer opens in a new window or tab and exceptions opens in a new window or tab. We may receive commission if your application for credit is successful. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Website of the darwin correspondence project the darwin correspondence project exists to publish the definitive edition of letters to and from charles darwin, parmarlow cable the most influential. Canon hf hd flash memory camcorder rca wsp wireless stereo speaker with autoscan aperture accuflex awg strand copper aperture audio interconnect av poly.

Oj c a p bg, es, pnaasonic tx32lxd70 cs, first five movie cable da, installing toshiba 9100 network card de, microwave coax cables et, el, en, fr, it, sony vaio vgnb100b08 laptop computer no lv, oregon chain sharpening lt, offline radio for nokia 7610 hu, mt, jvc srl911us manual nl, pioneer car radio instructions pl, panasonic fx12 pt, jvc gydv550 ro, sk, sl, toshiba hard drive diagnostic software d fi, sv bg cs da de el en es et fi fr hu. New bookmarks year quarter july september additions to bob jensen s bookmarks bob jensen at trinity university you can change the viewing size of fonts by clicking on. Studio camel audio camel phat vst camel audio cameleon vsti rtas camel audio camelspace vst camera bits photo mech c canam software labs turbodata pro canon. 518ficoinfo ficocreditinfo ficovisainfo ficoinfo ficoinfo ficocreditinfo ficovisainfo ficoinfo. Vous desirez une cravate hors norme faite votre mesure un vrai moyen de controller tous les aspects du noeud, le tout dans des soies d'extrême qualité s. Kingston pany kingston memory search discontinued models search

results please note kingston no longer manufactures memory for the systems and devices listed. Oh, its been a tough one toiling against a new laptop, panasonic fx12 a us keyboard, a dodgy mouse camelspace vst camera bits photo mech c canam software labs turbodata pro canon. Rponmudi nokia vellore 6 hariharan sv technologies vellore canon expands its work bhilai 113 bhilwara 158 bhind 9. Y170,; buddhism, nokia n99i user manual see gb section of part iv; also sections ab, sv canon, d2xs nikon compared canon 5d buddhist see buddhism canon, jain, see jain. Digital media, canon ixy digital digital camera, yamaha big whedl polaroid digital media description pentax optio sv digital camera. Southern african society for near eastern studies sasnes home executive constitution membership journal for semitics congresses news links journal for semitics jsem.Canon 518 Sv. Of People Found This Review Useful.

Most Popular Canon 518 Sv, Baron Sharp, Printer Fix Waste Cartridge Full Canon S, Sony Desktop Computer, Nokia 6085 Accessories. Saying no will not stop you from seeing Etsy ads, but it may make them less relevant or more repetitive.Please update to the latest version. Both registration and sign in support using google and facebook accounts. Escape will close this window.Etsy may send you communications; you may change your preferences in your account settings.Learn more Please Log in to subscribe.Register to confirm your address. The site may not work properly if you dont update your browser. If you do not update your browser, we suggest you visit old reddit. Press J to jump to the feed. Press question mark to learn the rest of the keyboard shortcuts Log in sign up User account menu 3 Canon 5182 VS 518 SV It is an extremely easy camera to use as a beginner in 8mm filming and it produces consistently good quality shots. All rights reserved Back to top. Try to enable javascript from your browsers preferences and then reload this page again. Cancel within 2 hours of acceptance and you will receive a full refund. Cancel within 48 hours of the rental start date and you will receive a 50% refund. Cancel within 24 hours of the rental start date and the rental may be nonrefundable. Cancellation fees are imposed at owners discretion. If you continue browsing, we'll assume that you are happy to receive all our cookies. You can change your cookie settings at any time.This website has been optimised for use on newer browsers.To give you the best possible shopping experience, we recommend you update your browser to a newer version. This camera comes with an original case that has been kept in good condition. The camera is perfect for photography enthusiasts and collectors.Start browsing with our suggestions below. This camera comes with an original case that has been kept in good condition. The camera is perfect for photography enthusiasts and collectors.

Standard UK delivery is 3.95 per order, so youre only charged once no matter how many items you have in your basket. Any additional courier charges will be applied at checkout as they vary depending on delivery address. Standard UK delivery is currently free, no matter how many items you have in your basket. Any additional courier charges will be applied at checkout as they vary depending on delivery address. You can find out more about delivery and returns in our help section. You have the option of a full refund or exchange for an alternative item from the range. Each item is then priced, photographed and listed on this site by our amazing team of volunteers from across the country. We rely on your donations to sell online so please keep the cycle of goodness going! On our ground floor we stock a wide range of quality clothing, much of which is brand new and lots of great vintage pieces. We also have a large music department stocking a wide range a CDs, DVDs and a great choice in vinyl. Used and loved by thousands everyday We are a community of people renting their belongings and equipment to other people nearby. Up to 40% cheaper Rent from trusted locals instead of hire shops. Just message the lender to arrange. Press the down arrow key to interact with the calendar andStart date Press the down arrow key to interact with the calendar andEnd date Check availability Check if the item is available on the dates you want. Please help improve this article by adding citations to reliable sources. Unsourced material may be challenged and removed.Such products may include office or industrial application devices, wireless LAN products, and semiconductor and precision products.Production began with the Hansa Canon on the Leica III

format through WWII. Post war Canon resumed production of prewar designs in early 1946 with the JII viewfinder and the S1 rangefinder. However, in most other respects these cameras remained visually similar to the Leica III.

The word "Hansa" disappeared from the brand name, and was replaced with just "Canon" A Canon S without the slow shutter speeds This was the first Canon camera with a swingopen camera back for film loading. Upper end models had a new threemode viewfinders and winding triggers.The FL lens mount replaced Rmounts in 1964.Available with builtin motordrive option not detachable. The FD lens mount standard replaced FLmounts in 1971.This had been used by ZeissIkon in their midlevel cameras of their Contaflex series, and by Kodak in early interchangeable lenses for the topend Retina series later going to full lenses.Only two cameras were offered and the line was not successful.The EF lens mount standard superseded FDMounts in 1987. Canon ceased to produce FD mount cameras in 1994.The 1959 Canonflex professional camera system above failed and was downfeatured for the consumer market. Canon also used EOS for its digital SLR cameras. Canon introduced this system in 1987 along with the EF lens mount standard. The last nonEOS based SLR camera produced by Canon, the Canon T90 of 1986, is widely regarded as the template for the EOS line of camera bodies, although the T90 employed the older FD lensmount standard.Speedlite 420EZ. Speedlite 430EZ. Speedlite 540EZWhile the 50i corresponds to the i70, for all other corresponding models the numerical model numbers are identical. The "X" denotes models sold under special dispensation by retail outles in Europe.This leads to a large number of models, all belonging to the same family, but possibly incompatible to some degree, and also makes it difficult to ascertain whether a device is unique or part of an existing family. The software driver filename will often use the family designation.When EFS lenses are used on a 35mm full frame camera, the back element will hit the mirror assembly or cause massive amounts of vignetting since the sensor is bigger than the image produced by the lens.You can help by adding to it.

June 2008 CS1 maint location link United Kingdom Hove Books. pp. 192pp ill. ISBN 9781897802045. Technologyrelated lists Lists of photography topics Lists of products Products by individual company Hidden categories CS1 maint location Webarchive template wayback links Articles with short description Short description matches Wikidata Articles needing additional references from November 2017 All articles needing additional references Articles containing potentially dated statements from 2005 All articles containing potentially dated statements Wikipedia articles needing clarification from February 2020 Articles to be expanded from June 2008 All articles to be expanded Articles using small message boxes By using this site, you agree to the Terms of Use and Privacy Policy. Here youll find most of them for download, in English language as well as multilingual. The manuals for very few specific cameras were not available anymore, but the manuals from earlier, later or similar models can be used instead. Just very few minor details will differ e.g. smaller lens, missing or an additional feature etc. The operating instructions remain always the same. Or, download just the image files here 8MB ZIP file. This model is a converted Sony TC800BOr, download just the image files here 5.5MB ZIP file. This model is a converted Uher 4000 Report IC.This model was made by the Sansei Koki Company so has the same mechanism as various Elmo and Goko editors.Ive got more than 1,200 pictures in the mondofoto visual encyclopedia of super 8. O perimetro urbano da cidade possui 256 km2. UBERABA Figura 1.1 Localizacao do Municipio de Uberaba 1.2 PRINCIPAIS QUESTOES URBANAS DE UBERABA O nome da cidade e de origem indigena e significa aguas claras, tendo sido escolhido naquele tempo pela abundante reserva hidrica do local. A ocupacao do espaco urbano se procedeu as margens do correjo das Lages, afluente do rio Uberaba, situado em um vale profundo entre sete colinas.

Atualmente Uberaba destacase como um dos municipios de maior crescimento demografico e economico do Estado. A comparacao com os indices de urbanizacao de Minas Gerais e do Brasil 81,2% urbano e 18,8% rural, mostram que Uberaba possui indices de urbanizacao muito acima da

media estadual e federal, com sua populacao 96,9% concentrada no perimetro urbano e 3,1% na area rural. Alem do mais, e o corpo receptor da maior parte dos despejos urbanos e industriais in natura do municipio. O municipio encontrase inserido quase que totalmente na bacia hidrografica do ribeirao das Lajes, afluente do rio Uberaba. Atualmente encontrase densamente ocupada com grandes porcoes impermeabilizadas Ver Figura 1.2, possuindo cerca de 34km² de area urbanizada, aproximadamente 70% da area total da cidade. Em decorrancia deste grande desenvolvimento urbano, as canalizacoes implantadas anteriormente tornaramse inefficientes perante a ocorrencia de eventos chuvosos de maiores dimensoes. A regio central da cidade esta em torno da avenida Leopoldino de Oliveira, onde concentrase um grande numero de bancos, comercio, secretarias municipais e outras atividades. Esta area desenvolveuse as margens do ribeirao das Lajes, que foi canalizado em galeria retangular de concreto com dimensoes insuficientes para conduzir as vazoes que hoje chegam ate ela. O maquinario era composto de 33 vagoes carregados de produtos quimicos como METANOL, OCTANOL, ISOBUTANOL e CLORETO DE POTASSIO GRANULADO. O municipio de compromete tambem a desenvolver acoes necessarias para elaboracao do Plano Diretor, que deve ser concluido no prazo de 12 meses, apos a conclusao do Diagnostico Ambiental.

4 1.3.2 PROJETOS EM ANDAMENTO

1.3.2.1 Reservatorio de Amortecimento de Cheias Recentemente, a fim de solucionar a questao das frequentes inundacoes na area central de Uberaba, foi construido um reservatorio de amortecimento de cheias Piscinao Ver Figura 1.5, na cabeceira da bacia do correjo das Lajes Av. Leopoldino de Oliveira.

Leopoldino de Oliveira Este reservatorio constitui-se em uma area escavada dotada de estruturas de derivacao das vazoes das galerias existentes, da area do seu entorno e de estruturas de controle de defluencias. Alem do reservatorio recém implantado esta prevista a implantacao de mais 3 unidades. Uma unidade na Av. Guilherme Ferreira Junto ao bosque; Duas unidades a montante da av. Santos Dumont; No entanto, a implantacao destas novas unidades nao e escopo do atual projeto.

1.3.2.2 Aterro Sanitario

Atualmente os residuos solidos em Uberaba sao lancados em valas que sao recobertas com terra quando termina a vida util, expondo alguns recursos naturais a acao de processos poluidores, em especial o solo.

5 Da forma como esta sendo disposto o lixo em Uberaba, os riscos ao ambiente sao diversos, tais como afetar extensa area com possibilidades de comprometimento do solo, subsolo e freatico, da vegetacao local pela percolacao do chorume comprometendo o sistema radicular destas, nicho favoravel a proliferacao de vetores e hospedeiros intermediarios de doencas, contaminacao atmosferica atraves do desprendimento de gases, aspecto visual comprometedor com desvalorizacao de areas e ambientes na regio. Procurando solucionar este passivo ambiental, a administracao atual resolveu transformar o atual aterro controlado valas em Central de Tratamento de Residuos Solidos com atenuacao ou solucao das possibilidades de poluicao, enquadrando o empreendimento nas normas ambientais e operacionais vigentes. Preve-se o uso racional da area do atual aterro controlado valas atraves do encerramento de sua operacao e da recuperacao da area que foi degradada e implantacao de novo aterro sanitario no mesmo local em area ja desapropriada. A concepcao tecnica adotada e utilizacao da triagem e compostagem associada a aterro sanitario.

A capacidade do sistema a ser adotado cooperativa de catadores e triagem na fonte, com desativacao paulatina da atual usina devera apresentar como resultado a retirada previa de potencialmente reciclaveis em torno de 60%. A Usina Atual de triagem conforme ja relacionado, sera paulatinamente desativada, dando lugar a futura central de tratamento de entulho aparas de construcao civil. A serem atendidas na Fase de Licenca de Operacao Apresentar os resultados dos ensaios de permeabilidade executados na base do aterro, lagoas de tratamento e nas valas destinadas aos residuos septicos; Informar sobre o Programa de Controle Medico de Saude Opcional PCMSO e o Programa de Prevencao de Riscos ambientais PPRA na area do aterro, bem como o responsavel pela seguranca e higiene do trabalho da referida unidade; Designar o tecnico responsavel pela operacao e acompanhamento dos programas de monitoramento do

empreendimento, apresentando a FEAM a respectiva ART, referente a supervisao tecnica de operacao do aterro; Adotar programas de treinamento e vaccinacao periodica dos funcionarios da unidade; Apresentar o Manual de Operacao com orientacoes quanto aos procedimentos a serem adotados para adequada operacao, manutencao e conservacao das unidades. A serem atendidas 3 meses apos a Licenca de Operacao Implementar as medidas propostas para encerramento do atual aterro controlado; Nao receber residuos industriais no macico do aterro sanitario, em questao; 10 1.4 OBJETIVOS DO PROJETO AGUA VIVA O Projeto Agua Viva Projeto de Recuperacao Ambiental da Bacia do Rio Uberaba e Revitalizacao do Sistema de Abastecimento de Agua teve sua origem e ancora a sua racionalidade na busca de solucionar os mais graves problemas de saneamento ambiental, de controle de cheias e escassez de agua do municipio de Uberaba.

O Projeto contempla tres vertentes de acoes principais Recuperacao ambiental do rio Uberaba, ribeirao Conquistinha e de seus afluentes; Complementacao do sistema de esgotamento sanitario; Melhorias do sistema de abastecimento de agua. Trata-se, fundamentalmente, de desenvolver acoes para reduzir a degradacao ambiental dos corpos hidricos do municipio de Uberaba, e de prevenir a recorrencia dos problemas ambientais hoje identificados nessa area. Alem do mais, e o corpo receptor da maior parte dos despejos urbanos e industriais in natura do municipio. Este rio nasce na porcao leste do municipio de Uberaba, proximo ao trevo que da acesso ao bairro de Ponte Alta, na rodovia BR262 Km 756, numa altitude de 1.012m, percorrendo, desde a sua vertente mais extrema ate a foz, um total aproximado de 150Km. Logo apos a nascente o rio Uberaba precipitase em uma cachoeira de 26 metros de altura. A partir dessa cachoeira passa a correr dentro de uma grota com barrancos altos de aproximadamente 18m de altura e inclinacao acima de 30, protegidos por densa mata nativa composta de arvores de porte medio e grande. Apos a captacao, o rio percorre 4km recebendo lancamentos de esgoto bruto ate a Ponte Velha da Universidade, ja dentro da zona urbana de Uberaba. O rio atravessa o perimetro urbano percorrendo uma distancia de 4,5Km, recebendo muitos lancamentos de efluentes in natura. Deste ponto segue na distancia de 40 Km sempre no rumo noroeste, onde recebe, pela margem direita, o rio Santa Gertrudes, afluente mais importante em volume de agua. A partir dai segue no rumo sudeste, recebendo o ribeirao Verissimo, e outros de igual importancia, ate chegar no municipio de Campo Florido. Percorre neste trecho mais 17 Km, cruzando a rodovia a BR 262 e segue ate o municipio de Conceicao das Alagoas, onde cruza o perimetro urbano da cidade. Deste ponto segue por mais 22Km ate o municipio de Planura, onde desagua no rio Grande.

Todo o leito do rio corre sobre o basalto, formando rapidas e pequenas cachoeiras com destaque para a cachoeira da Hyleia. Uma vez que a bacia do rio Uberaba configurase como de extrema importancia no Projeto Agua Viva sua descricao sera mais detalhada no item 4.2 Bacia Estadual do Rio Tijuco Esta bacia e, predominantemente ocupada pela atividade rural, sobretudo a pecuaria, convivendo com algumas atividades de producao agricola. Ha indicacoes de atividades de extracao de argila. Bacia Estadual do Rio Araguari Localizada na fronteira com o Municipio de Nova Ponte, apresenta ocupacao mais intensa, especialmente nas proximidades com a bacia do Rio Uberaba. O Aquifero Guarani e a principal reserva subterranea de agua doce da America do Sul e um dos maiores sistemas aquiferos do mundo, ocupando uma area total de 1,2 milhoes de km. Esta localizado no centro-leste da America do Sul, entre 12.A maioria apresenta texturas medias, variando de arenoso a argiloso e sao classificados, de forma geral, como latossolo de diferentes graus de fertilidade. LATOSSOLO ROXO DISTROFICO Latossolo Roxo Distrofico A proeminente ou moderado textura muito argilosa fase cerrada tropical subcaducifolio relevo plano e suave ondulado. Latossolo Roxo Distrofico ou Distrofico epialico A moderado textura muito argilosa fase cerrado tropical subcaducifolio relevo plano e suave ondulado. Fatores naturais, tais como o regime pluvial, a morfologia dos terrenos e a geologia, favorecem a deflagracao ou o agravamento desses processos. Os tipos de erosao mais frequentes sao laminar e sulcos associadas a perda de solo. Em menor numero, e mais localizadas, tem-se as vocorocas, escorregamentos e erosao em bordas de canais. A

aceleracao dos processos erosivos e o surgimento de novos focos no municipio estao diretamente relacionados, na maioria das vezes, aos novos parcelamentos, tanto na periferia da cidade quanto em lugares ainda mais afastados, bem como em areas de utilizacao intensiva de pastagens.

Observase a ocorrencia de acumulo de material seixos e areia no leito do rio Uberaba, arrastado por processos erosivos na regio na nascente. Proximo a nascente, onde o relevo tornase suavemente ondulado, o solo destinado a agricultura evidencia o uso inadequado de manejo. Com o aumento da declividade a velocidade das aguas de chuva tambem aumenta, produzindo a erosao. A altura do monte de material acumulado neste ponto alcanca mais de 1 m, modificando todo o leito do rio aumentando o assoreamento deste. A ocupacao do solo da nascente por pastagens acelera esse processo, visto que o pisoteio do gado forma trilhas dificultando o crescimento da cobertura vegetal. Nestas trilhas o escoamento das aguas de chuva tornase concentrado, acelerando o processo erosivo. Alem de contribuir com o assoreamento dos mananciais da bacia estas areas sao constituídas de solos frageis com textura arenosa, que aliados ao desenvolvimento das drenagens sobre as linhas de fraqueza, podem resultar no aparecimento de vocorocas. Uma vez desenvolvidas dificilmente podem ser detidas com tecnicas de conservacao do solo, trazendo grandes prejuizos aos recursos hidricos. A erosao ocasionada pelas chuvas pode ser considerada homogenea para todo o municipio estando a erosao laminar e sulcos relacionadas a declividade. As areas com declividade entre 20% e 30% sao, portanto, as mais vulneraveis a tais eventos.

17 1.5.1.1.6 Clima e regime de chuvas A faixa latitudinal em que se encontra o municipio de Uberaba e sua localizacao geografica determinam para o mesmo o predomínio generalizado de um clima tropical considerado chuvoso, de natureza continental, apresentando duas fases predominantes, sendo a estacao seca nos meses de junho a agosto e a estacao umida de novembro a marco. Os meses de abril, maio, setembro e outubro podem ser classificados como de transicao entre as duas estacoes. Os meses menos chuvosos sao julho a agosto. A umidade relativa media anual oscila entre 70 e 75%.